



F5318 X40CrMoV5/ W.Nr. 1.2344

Barras redondas IBO ECOMAX

Acabado: laminado o forjado, descortezado o bien torneado

15,0	18,5	20,5	25,5	26,0	30,5	31,0	35,8	40,8	41,0
45,8	46,0	50,8	51,0	55,8	56,0	60,8	61,0	65,0	66,0
71,0	76,0	81,0	86,0	91,0	96,0	101,0	101,5	106,5	111,0
111,5	116,5	121,0	121,5	126,5	131,0	131,5	136,5	141,0	141,5
151,0	151,5	156,5	161,0	162,0	167,0	172,0	182,0	192,0	202,0
207,0	212,0	218,0	222,0	232,0	242,0	252,0	252,5	257,5	262,0
262,5	272,0	272,5	282,0	282,5	292,0	292,5	302,5	303,0	312,5
313,0	323,0	333,0	343,0	353,0	358,0	363,0	383,0	403,0	413,0
423,0	433,0	434,0	453,0	460,5	463,0	483,0	503,0	523,0	

Acero para trabajo en caliente

Barras planas

Acabado: laminado según DIN EN 10058 o bien forjado según DIN 7527/T6
* superficies mecanizadas

X = ESU

Acabado: recocido blando

ancho mm	espesor mm																																																				
	20	25	30	40	50	60	70	80	90	100	110	120	130	140	150	160	165	170	175	180	185	190	200	205	220	225	230	235	245	250	255	265	275	285	300	305	325	350	355	375	400	405	455	500									
70			X																																																		
80								X																																													
100			X																																																		
120				X																																																	
150			X	X	X	X		X																																													
160			X	X	X	X		X																																													
200	X	X	X	X	X	X	X	X		X																																											
250	X	X	X	X	X	X	X	X	X	X																																											
300	X	X	X	X	X	X	X	X	X	X																																											
350				X	X	X*	X	X*	X																																												
400	X	X				X	X	X	X																																												
500						X		X	X	X					X	X	X																																				
550																																																					
600																																																					
610																																																					
650																																																					
800																	X					X																															
810																																																					
850																																																					
1010	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
1250					X	X	X	X	X	X																																											
1600					X																																																

Nota: para información sobre tolerancias y acabados, rogamos consulten